

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	95	(cache OR BTB OR BTAC) with (cycle\$1 OR stage\$1) WITH (way\$1 OR entr\$2) WITH (add\$4 OR updat\$4 OR insert\$4 OR writ\$4) WITH (select\$4 OR choos\$4 OR indicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/07/25 12:55
L2	71	(invalidat\$4 with (redundant))	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
L3	26	(invalidat\$4 with (redundant OR ("same" NEAR2 (instruction OR branch OR address)))) SAME (branch\$4 or predict\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
L4	26	(invalidat\$4 with (redundant OR ("same" NEAR2 (instruction OR branch OR address)))) SAME (branch\$4 or predict\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
L5	71	(invalidat\$4 with (redundant))	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
L6	55	"matching" (tag OR address) WITH (invalidat\$4 OR remov\$4 OR void\$3 OR nullif\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
L7	66	set\$1 WITH valid WITH resolv\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
L8	95	(cache OR BTB OR BTAC) with (cycle\$1 OR stage\$1) WITH (way\$1 OR entr\$2) WITH (add\$4 OR updat\$4 OR insert\$4 OR writ\$4) WITH (select\$4 OR choos\$4 OR indicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/07/25 12:55
L9	95	upper WITH index WITH cache	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
S1	1	NN960583	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 18:18

EAST Search History

S2	41	(BTAC OR BTB) with (redundant OR ("same" NEAR2 (instruction OR branch OR address)))	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 15:10
S3	308	invalidat\$4 with (redundant OR ("same" NEAR2 (instruction OR branch OR address)))	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 15:10
S4	25	(invalidat\$4 with (redundant OR ("same" NEAR2 (instruction OR branch OR address)))) SAME (branch\$4 or predict\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
S5	68	(invalidat\$4 with (redundant))	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/07/25 12:55
S6	28	((invalidat\$4 OR delete OR remove) with (duplicate OR redundant)) SAME (precict\$4 OR branch\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 15:27
S7	17	((discard\$4) with (duplicate OR redundant)) SAME (precict\$4 OR branch\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 15:28
S8	237	"same" (tag OR address) WITH (invalidat\$4 OR remov\$4 OR void\$3 OR nullif\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 18:57
S9	54	"matching" (tag OR address) WITH (invalidat\$4 OR remov\$4 OR void\$3 OR nullif\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 19:01
S10	151	("same" OR "matching") (entry) WITH (invalidat\$4 OR remov\$4 OR void\$3 OR nullif\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 19:01
S11	26	((("same" OR "matching") (entry) WITH (invalidat\$4 OR remov\$4 OR void\$3 OR nullif\$3)) SAME (predict\$3 OR branch\$3 OR BTAC OR BTB)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 19:08
S12	31	((("same" OR "matching") (tag OR address OR target OR instruction) WITH (invalidat\$4 OR remov\$4 OR void\$3 OR nullif\$3)) SAME (predict\$3 OR branch\$3 OR BTAC OR BTB)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/07 19:08

EAST Search History

S13	0	"apparatus and method for invalidation of redundant"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:12
S14	1	(apparatus AND method AND invalidation AND redundant).TI.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 18:40
S15	771	invalidat\$4 request\$1	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:42
S16	0	(invalidat\$4 request\$1) WITH BTAC	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:42
S17	0	(invalidat\$4 request\$1) SAME BTAC	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:42
S18	0	(invalidat\$4 request\$1) SAME BTB	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:42
S19	3	(invalidat\$4 NEAR4 request\$1) SAME BTAC	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:43
S20	3	(invalidat\$4 WITH request\$1) SAME BTAC	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:43
S21	0	(invalidat\$4 WITH request\$1) SAME BTB	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:43
S22	0	(invalidat\$4 WITH request\$1) SAME BHT	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:43
S23	47	(invalidat\$4 WITH request\$1) SAME (set associat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:45
S24	8	(invalidat\$4 NEAR5 request\$1) SAME (fetch address)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 17:45

EAST Search History

S25	8	(invalidat\$4 NEAR5 request\$1) SAME (fetch address)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 17:50
S26	18	(invalidat\$4) WITH (fetch address)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:07
S27	37	BTAC with cycle\$1	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:08
S28	14	BTAC with cycle\$1 WITH miss	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/06/08 10:15
S29	11	BTAC WITH miss WITH stage	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:10
S30	0	BT WITH miss WITH stage	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:10
S31	2	BTB WITH miss WITH stage	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:10
S32	3	BTB SAME miss WITH stage	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:25
S33	2063	short loops	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:25
S34	70	(short loops) WITH branch	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:26
S35	21	(short loops) WITH predict\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 18:26
S36	11	LRU WITH BTB	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 18:45

EAST Search History

S37	0	miss WITH (BTB OR BTAC) WITH way	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 18:46
S38	57	miss WITH (BTB OR BTAC)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 18:54
S39	37	update WITH (BTB OR BTAC) WITH address	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 18:54
S40	18	update WITH (BTB OR BTAC) WITH way	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 18:59
S41	0	set\$1 WITH valid WITH reslov\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 19:00
S42	65	set\$1 WITH valid WITH resolv\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 19:09
S43	5278	LRU	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 19:10
S44	537	LRU WITH only	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/10 19:10
S45	6	LRU WITH only WITH branch	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 19:14
S46	123	LRU WITH predict\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 19:15
S47	0	LRU WITH when WITH predict\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 19:15
S48	6	LRU WITH read WITH predict\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/10 19:15

EAST Search History

S49	84	(set associative) WITH advantage	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/03/11 16:24
S50	16329	upper WITH index	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/13 11:26
S51	0	upper WITH index WITH BTAC	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/13 11:26
S52	92	upper WITH index WITH cache	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/13 11:26
S53	3	upper WITH index WITH set associative	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/13 11:27
S54	25	upper WITH index SAME set associative	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/03/13 11:27
S55	449	(cache OR BTB OR BTAC) with (cycle\$1 OR stage\$1) WITH (way\$1 OR entr\$2) WITH (add\$4 OR updat\$4 OR insert\$4 OR writ\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/06/08 10:16
S56	93	(cache OR BTB OR BTAC) with (cycle\$1 OR stage\$1) WITH (way\$1 OR entr\$2) WITH (add\$4 OR updat\$4 OR insert\$4 OR writ\$4) WITH (select\$4 OR choos\$4 OR indicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/06/08 10:17